

GM3.124SE-LM31E0



Information

- 3/4" thermostatic valve and trim
- 3/4" 2-way diverter valve and trim (2 pieces)
- G-8201 dual-function, stainless steel showerhead, with rainfall and cascade settings, features 134 no-clog, easy-clean spray nozzles
- Single LED light with 6 color variations
- Flush-mounted swivel body sprays (3 pieces)
- Handshower set with wall bracket and 59" hose
- Optional extension kit
- Flow rates: rainfall \leq 2.0 max gpm, cascade \leq 2.0 max gpm, handshower \leq 1.5 max gpm, body sprays \leq 1.5 max gpm each
- ADA





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8043-LM31E-T



Information

- Single metal handle and decorative trim plateUse with G-8006 thermostatic rough valve
- ADA



Polished Chrome





- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve


Available Finishes

- Polished Chrome G-8043-LM31E-PC-T
- Steelnox G-8043-LM31E-SN-T
- Architectual Black w/ Chrome Accents
 G-8043-LM31E-PC/BK-T*

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs




^{*} Special order finish- call for availability

SHOWER Two-Way Diverter Volume Control Valve WITH Off Function and PassThrough



G-8052



Information

- 11.7 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Polished Chrome





- 12.1 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance

• CALGreen


Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs








Information


- Single metal handle and decorative trim plate
- Use with G-8052 2-Way Diverter Volume Control Valve WITH Off Function and Pass-Through
- ADA




Polished Chrome

G-8071-LM31E1-T SOLAR Series














Information

- Stainless Steel
- Rainfall and Cascade functions
- Functions may be used separately or simultaneously
- Single LED light with 6 color variations
- Rainfall flow rate ≤ 2.0 max gpm
- Cascade flow rate ≤ 2.0 max gpm
- 134 no-clog, easy-clean rubber water nozzles
- Includes wall-mount button for LED control box
- CALGreen



Polished Chrome





- Stainless steel
- Wall-mounted installation
- Rainfall and cascade functions
- Functions may be used separately or simultaneously
- Single LED light with 6 color variations
- Rainfall flow rate ≤ 1.8 max gpm
- Cascade flow rate ≤ 1.8 max gpm
- 134 no-clog, easy-clean rubber water nozzles
- Includes wall-mount button for LED control box

Available Finishes

 Stainless Polished G-8201-SP

* Special order finish- call for availability

Warranty


Limited lifetime warranty


For complete warranty information go to www.graff-designs.com/en-nam/warranty

Code Compliance

CALGreen

For complete warranty information go to www.graff-designs.com/en-nam/warranty









Information

- 12 no-clog, easy-clean silicon jets
 Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm



Polished Chrome






- 12 no-clog, easy-clean silicone jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and Flushmounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm


Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty







Available Finishes

- Polished Chrome G-8497-PC
- Polished Nickel G-8497-PN
- Brushed Nickel
 G-8497-BNi
- Matte Black*G-8497-MBK*
- Architectural Black*
 G-8497-BK*
- Architectural White* G-8497-WT*
- Olive Brass
 G-8497-OB
- Gunmetal* G-8497-GM*
- Steelnox G-8497-SN
- OR'osa PVD*
 G-8497-RG*
- Onyx PVD*
 G-8497-OX*
- Polished Brass PVD*
 G-8497-PB*
- Brushed Brass PVD*
 G-8497-BB*
- Brushed Gold*
 G-8497-BAU*
- Gold*G-8497-AU*
- Gunmetal Distressed*
 G-8497-GMD*





Information

• Brass spiral flexible hose with conical nut



Polished Chrome





 Brass spiral fexible hose with conical nut

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty




Available Finishes

- Polished Chrome G-8605-PC
- Polished Nickel G-8605-PN
- Brushed Nickel G-8605-BNi
- Unfinished Brushed Brass* G-8605-UBB*
- Unfinished Brass*
 G-8605-UB*
- Matte Black*
 G-8605-MBK*
- Architectural Black*
 G-8605-BK*
- Architectural White* G-8605-WT*
- Olive Brass*G-8605-OB*
- Gunmetal* G-8605-GM*
- Vintage Brushed Brass*
 G-8605-VBB*
- Steelnox (Satin Nickel)
 G-8605-SN
- 24K Brushed Gold*
 G-8605-BAU*
- 24K Gold*
 G-8605-AU*
- Gunmetal Distressed*
 G-8605-GMD*

^{*} Special order finish- call for availability





Information

• Solid brass construction



Polished Chrome





• Solid brass construction


Available Finishes

- Polished Chrome G-8632-PC
- Steelnox®
 G-8632-SN

Warranty

• Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs







Information

• 1/2" NPT female thread inlet







• 1/2" NPT female thread inlet


Available Finishes


- Polished Chrome G-8633-PC
- Steelnox®G-8633-SN
- Architectural Black w/Chrome Accents
 G-8633-PC/BK

Warranty

Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs









Information

- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤1.5 max gpm
- Includes internal backflow preventer
- CALGreen



Polished Chrome

GRAFF



Product Features

- · Smooth, all-metal handle
- · Shower hose not included
- Includes internal backflow preventer
- Handshower flow rate ≤ 1.5 max gpm


Warranty


Limited lifetime warranty

For complete warranty information go to https://www.graff-designs.com/en/info/faqs

Available Finishes

- Polished Chrome G-8654-PC
- Polished Nickel G-8654-PN
- Brushed Nickel G-8654-BNi
- Matte Black*
 G-8654-MBK*
- Architectural Black*
 G-8654-BK*
- Architectural White*
 G-8654-WT*
- Steelnox (Satin Nickel)
 G-8654-SN
- Olive Bronze* G-8654-OB*
- Gunmetal* G-8654-GM*
- OR'osa PVD*
 G-8654-RG*
- Brushed OR'osa PVD*
 G-8654-BRG*
- Onyx PVD*
 G-8654-OX*
- Brushed Onyx PVD*
 G-8654-BOX*
- 24K Brushed Gold*
 G-8654-BAU*
- 24K Gold*
 G-8654-AU*





^{*} Special order finish- call for availability